

February 22, 2005

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 1-15-9-18, 3-15-9-18, 7-15-9-18, 11-15-9-18, 13-15-9-18, and 15-15-9-18.

Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED FEB 2 3 2005

DIV. OF OIL, GAS & MINING

*(Instructions on reverse)


Form 3160-3			FORM APPROV	'ED		
(September 2001)	,		OMB No. 1004-0136 Expires January 31, 2004			
UNITED STATES DEPARTMENT OF THE IN			5. Lease Serial No.	•		
BUREAU OF LAND MANAG			UTU-17036			
	APPLICATION FOR PERMIT TO DRILL OR REENTER					
AFFEIGATION FOR FERMIN TO BE	VILL OIL IVELIVIEN		N/A			
1a. Type of Work: DRILL REENTE	1		7. If Unit or CA Agreement,	Name and No.		
12. Type of work. A DRILL A REENTER	· ·		N/A			
1b. Type of Well: Oil Well Gas Well Other	XI or a grant District		8. Lease Name and Well No	•		
	Single Zone Multi	ple Zone	Federal 13-15-9-18			
Name of Operator Newfield Production Company			9. API Well No. 42	047-363		
3a. Address	3b. Phone No. (include area code)		10. Field and Pool, or Explora			
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Eight Mile Flat	nory		
4. Location of Well (Report location clearly and in accordance with	<u> </u>		11. Sec., T., R., M., or Blk. ar	nd Survey or Area		
· -		15				
V 13 U J	ax 70,0207	077	SW/SW Sec. 15, T98	R18E		
At proposed prod. zone 4430	9664 - 109.886	011	10.00	12.0		
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State		
Approximatley 21.1 miles southeast of Myton, Utah		1 0 .	Uintah	UT		
 Distance from proposed* location to nearest 	16. No. of Acres in lease	17. Spacin	g Unit dedicated to this well			
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 660' f/lse, NA f/unit	1240.00		40 Acres			
8. Distance from proposed location*	19. Proposed Depth	20 BLM/	BIA Bond No. on file			
to nearest well, drilling, completed,	15. Proposed Boptin	ZO. BEKIN	on Bond No. on the			
applied for, on this lease, ft. 2627'	5675'		UTU0056			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	ırt*	23. Estimated duration			
5011' GL	3rd Quarter 2005		Approximately seven (7) days from spud	to rig release.		
	24. Attachments					
The following, completed in accordance with the requirements of Onshor	re Oil and Gas Order No.1, shall be at	tached to thi	s form:			
	1 4 5 3					
Well plat certified by a registered surveyor. A Drilling Plan.	4. Bond to cover to Item 20 above).	ne operatio	ns unless covered by an existin	g bond on file (see		
3. A Surface Use Plan (if the location is on National Forest System	Lands the 5. Operator certific					
SUPO shall be filed with the appropriate Forest Service Office).	6. Such other site authorized office		ormation and/or plans as may	be required by the		
5 Simulation 1	Name (Printed/Typed)		I D. A.			
25. Signature	Mandie Crozier		Date	12265		
Title Canal Court	- Mariale Grozier			1 ad/UJ		
Regulator Specialist						
pproved by Signature	Name (Printed/Typed)		Date			
	BRADLEY G. HILL		6	2-24-05		
	VIRONMENTAL SCIENTIST	III		=		
27	, in the second	111				
Application approval does not warrant or certify the the applicant holds le	egal or equitable title to those rights in	the subject	lease which would entitle the ap	plicant to conduct		
perations thereon. Conditions of approval, if any, are attached.			•			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it						

Federal Approval of this Action is Necessary

DIV. OF OIL, GAS & MINING

FEB 2 3 2005

T9S, R18E, S.L.B.&M.




= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW, SW)

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 13-15-9-18, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 15, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



TRI STATE LAND SURVEYING & CONSULTING

STATE OF

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

SCALE: 1" = 1000'	SURVEYED BY: C.M.
DATE: 12-13-04	DRAWN BY: F.T.M.
NOTES:	FILE #

NEWFIELD PRODUCTION COMPANY FEDERAL #13-15-9-18 SW/SW SECTION 15, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' - 1335' Green River 1335' Wasatch 5675'

3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:</u>

Green River Formation 1335' - 5675' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #13-15-9-18 SW/SW SECTION 15, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #13-15-9-18 located in the SW 1/4 SW 1/4 Section 15, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 – 15.3 miles \pm to it's junction with an existing dirt road to the northeast; proceed northeasterly – 2.9 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly – 1.3 miles \pm to it's junction with the beginning of the proposed access road; proceed southwesterly along the proposed access road – 2,810' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. <u>SOURCE OF CONSTRUCTION MATERIALS</u>

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-156, 4/2/04. Paleontological Resource Survey prepared by, Wade E. Miller, 10/6/03. See attached report cover pages, Exhibit "D".

For the Federal #13-15-9-18 Newfield Production Company requests 2810' of disturbed area be granted in Lease UTU-17036 to allow for construction of the proposed access road. Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 820' of disturbed area be granted in Lease ML-48378, 590' of disturbed area be granted in Lease UTU-74405, and 8390' of disturbed area be granted in Lease UTU-17036 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production Company requests 820' of disturbed area be granted in Lease ML-48378, 590' of disturbed area be granted in Lease UTU-74405, and 8390' of disturbed area be granted in Lease UTU-17036 to allow for construction of the proposed water lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a buried 3" steel water injection line and a 3" poly water return line. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Burrowing Owl: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction or surface disturbing activities are scheduled between April 1 and August 15, pre-construction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new

construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

Reserve Pit Liner

Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

ShadscaleAtriplex confertifolia4 lbs/acreScarlet GlobmallowSphaeralcea conccinea4 lbs/acreCrested WheatgrassAgropyron cristatum4 lbs/acre

Details of the On-Site Inspection

The proposed Federal #13-15-9-18 was on-sited on 10/14/14. The following were present; Brad Mecham (Newfield Production), David Gerbig (Newfield Production), Byron Tolman (Bureau of Land Management), and Amy Torez (Bureau of Land Management). Weather conditions were clear.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

<u>Representative</u>

Name: Brad Mecham

Address: Route #3 Box 3630

Myton, UT 84052

Telephone: (435) 646-3721


Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #13-15-9-18 SW/SW Section 15, Township 9S, Range 18E: Lease UTU-17036 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Regulatory Specialist


Newfield Production Company





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

FEDERAL 13-15-9-18









1" = 50'

STA. 0+00

ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)

6" TOPSOIL **EXCESS** ITEM CUT FILL Topsoil is not included in Pad Cut PAD 2,820 2,820 PIT 640 0 640 TOTALS 3,460 2,820 890 640


NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1


SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	F. T.M.	DATE:	12-13-04


 $egin{array}{lll} egin{array}{lll} Tri & State & ag{435} & {781-2501} \ & Land & Surveying, & Inc. \end{array}$

NEWFIELD PRODUCTION COMPANY TYPICAL RIG LAYOUT FEDERAL 13-15-9-18 PROPOSED ACCESS ROAD (Max. 6% Grade) Emergency fuel shut down STORAGE TANK 50 50' TOILET BENCH RIG BASE DOG HOUSE/WATER PARTS HOUSE MUD TANK 10, MDE 1 TRAILERS 100 RESERVE PIT (8' Deep) 80 120' PIPE RACKS PIPE TUB PIPE TUB PIPE TUB CATWALK PIPE RACKS 140 160' DATA


SURVEYED BY:	C.M.	SCALE:	1" = 50'	/Ţri, State	(435) 781-2501
DRAWN BY:	F. T.M.	DATE:	12-13-04	Land Surveying, 1	<i>l TLC.</i> NAL. UTAH 84078







(ig)	10		11	12	2:	a	0 1	25 (11	K1 21	12	7 8	9	10		11 11		7 .		Newfield Wells Location Surface Spud	
16	15		14	ia	18		4S-R2V			13.	15 11		4S-R1W		14 1		18 17	16	Drilling Walting on Com Producing Oil V Producing Gas	/ell Well
21	22	T4.3-R	3W	24	19	20 2	. 2	2: 22		234 M ⁷³⁴ 1034 m34	19 21	21	22		21 2		19 20	748-		andoned
28	27	,	25	25	30	21	15.	shah sh Janan	Nanugan Butte Nt	619	17 18 450 750 630 20 10 20 420	8-R17E1	27 10 12 12 12 12 12 12 12 12 12 12 12 12 12	23 723 23 23 723 23 23 723 23	ones of she she	19	33 2	20	Water Source V Water Disposal Injection Station UnitOutlines	Well
33	3	4	25	430 430	29	TRS-	R16E		620 1620 1620 1620 620 620 620 620 620 620 620 620 620 620 620 620	\$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 10 \$ 10	12 (20 (20 (20 (20 (20 (20 (20 (20 (20 (2	Can Sangla Can Can Sangla Can Can Sangla Can Can Can Can	20/ 20/ 20/ 20/ 20/ 20/ 20/ 20/ 20/ 20/	, 19(2) 19(3) 10 (2) 23 (3) 10 (2) 10 (3) 10 (2) 10 (3) 10 (2) 10 (3)	· / 2020.30	33 253	රේක ක්රත 29 දේශ රේක ව පැතැරුණු		27 12.362 18E 45.37 15.38 25.35.36 26.38.26	
	- 15	35 35 35	8 17.15E 31.30	West Point	131 532 631 2532 631 631 2532 753 63 631 2532 753 63	21-338 1-339 1-33 21-338 1-338 1-339	27 69 121 621 27 69 121 621	1250 £ 35 10 31 2 36	23 (20 03) 630	12-31 12-31 12-31 12-31 12-31 12-31	0.2 7 62 62	11-33 10-33 9-33	34 10 34 9 34	2/35 15/36	50 508 550 650 500 650 650 650 11.201538 850 11.201538 850	831 831 231 831 231 1031 831	430 330 1-500		34 42540 130 2303 354 4554 4300 +	45-36 36 43-36
	10	42 162 162 18	后 点, 后 电 后 电 元 电 后	6 4 6 min	25 21-00 10-	2945 145 (4 134 (4 184 (4 134 (4 184 (4	ఉంది. ఉంది. చింది. చింది.	12 52 52 52 52 52 52 52 52 52 52 52 52 52	2 6 6 6 12	210 510 110 120 210 220 230 230 230	14 20 16 8 20 20 18 8 10 20 40	01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2,2 2 4 2,2 16 2,3 16 2,4 16 2,4 16 2,4 16	2 152 / 63 12 152 16	1 11-1 sh 2 15-1 st	60 876 114 68 156 168 156		11/4 Ka 184	, 6, ,	91
18	1 1	1.4. 4 2-11	/ cm	60 60 60 60 60 60 60 60 60 60 60 60 60 6	S 2 564 /	11-9 21-9Y	210 210 41-10	411 Sin 211 fer	2121 121 121 121 121 121 121 121 121 12	131 / 151 151 151 151 151 151 151 151 151	150 250 550 150 150 150 150 150 150 150 150 1	1234 2234 2234 233 1 1234 2234 2234 233 1	210 1110 10 10 120	1175 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	512 12 12 13 13	f 67 .	£9	9	510 ₁₀ 11	12
	1 24 14	274 274 274 27 274 274 274 27 274 2774 = 27	4 .0, 313	วราริก	discharite,	16	71-16 21-15 41-1 22-15-15 42-15	Baline Balin ate ate ate ate	23-50V 13	4-16 3-16 At.10	1.12 2.11 Senten	11-16 150 152 155 77-16 5-16 12-160 10-16 16-4 1-16 14-16 16-16-16	25-131 618 6-18 6-18 15-15-10-15	11 32-14 11 32-14	13	478	17	TOS-R1	15 14 33	13
25		19S-R1	5E 12341 13341	10	8 11.200 2025.20	3121Y #	195-1	623 1/23 23 11 10-23	15.21 24	151 10 9-11	20 20	21	-R17E	21-23Y 23 23-23	34	31-197 (g 43-1 43-1		21	22 23	24
30	27	4 26	25	30	28	29	27	1-28	21 Say 25	30	29	28	27	21	25	30	20 20 20 20 20 20 20 20 20 20 20 20 20 2	28	27 26	25
	34	35	36	31	10	33	ы	35	м	31	32	33	34	35	41-30 36	31	52	93	NEWFIELD Exhibit A	+
Ff	0S-R	15E,	t	6	5	T10S-R	16E,	2	3	:6	5	T.1.0	S-R17E	25	1,0	6	6	4 Alamo P 1401 17 Darve, Pagret	Durtherin & United Countries Place for Very To Strong Silve 1000 Column \$250.01427 (XI) \$83-9102	No. or 11,200



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

●Exhibit"D"

Page 1 of 4

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCE'S BLOCK SURVEY ON EIGHT MILE FLAT, TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 9, 10, 11, 14, 15 AND 23, UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-156

April 2, 2004

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-04-MQ-0801b



Page 3 of 4

INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, UINTAH COUNTY, UTAH

(Sections 9, 14, 15, 17, 21, 23 and north half section 20, Township 9 South, Range 18 East)


REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist October 6, 2003



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/23/2005	API NO. ASSIGNED: 43-047-36329
WELL NAME: FEDERAL 13-15-9-18 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER PROPOSED LOCATION: SWSW 15 090S 180E SURFACE: 0660 FSL 0660 FWL BOTTOM: 0660 FSL 0660 FWL UINTAH 8 MILE FLAT NORTH (590) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-17036 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO	PHONE NUMBER: 435-646-3721 INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface LATITUDE: 40.02545 LONGITUDE: -109.8861
RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTU0056) Potash (Y/N) N Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) Fee Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells
STIPULATIONS: 1- Lidne () 2- Sparing	





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

MARY ANN WRIGHT Acting Division Director JON M. HUNTSMAN, JR.

GARY R. HERBERT Lieutenant Governor

February 24, 2005

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 13-15-9-18 Well, 660' FSL, 660' FWL, SW SW, Sec. 15, T. 9 South,

R. 18 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36329.

Sincerely,

John R. Baza Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Production Company				
Well Name & Number	Federal 13-15-9	9-18			
API Number:	43-047-36329 UTU-17036				
Location: SW SW	Sec. 15	T. 9 South	R. 18 East		

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.



	FORM APPROVED
—	Budget Bureau No. 1004-0135
	Expires: March 21 1002

Expires:	March 31,	1993

BUREAU OF I	Expires: March 31, 1993 5. Lease Designation and Serial No.	
SUNDRY NOTICES ANI	UTU-17036	
Do not use this form for proposals to drill or to dee Use "APPLICATION F	6. If Indian, Allottee or Tribe Name NA	
SUBMIT IN	7. If Unit or CA, Agreement Designation N/A	
1. Type of Well X Oil Gas Other	8. Well Name and No. FEDERAL 13-15-9-18 9. API Well No.	
Name of Operator NEWFIELD PRODUCTION COMPANY Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-6	43-047-36329 10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI	
4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 660 FSL 660 FWL SW/SW Section	UINTAH COUNTY, UT.	
12. CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE O	FACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent details	and give pertinent dates, including estimated date of starting any propose	

ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Newfield Production Company requsts to extend the Permit to Drill this well for one year. The original approval date was 2/24/05 (expiration 2/24/06).

This APD has not been approved yet by the BLM.

Approved by the Utah Division of Oil, Gas and Mining

RECEIVED

FEB 0 8 2006

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoins of true and correct Signed Mandie Crozier	Title	Regulatory Specialist	Date	2/6/2006
CC: UTAH DOGM				
(This space for Federal or State office use)		Comment of the many many and the second		
Approved by	Title	3-2-06	Date	
Conditions of approval, if any:		CHO		
CC, Utan DOGM				



Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: Federal 13-15-9-18 Location: SW/SW Section 15, T9S R18E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 2/24/2005					
The undersigned as owner with legal rights to drill on the above, hereby verifies that the information as submitted in approved application to drill, remains valid and does not remains.	n the previously				
Following is a checklist of some items related to the appli verified.	cation, which should be				
If located on private land, has the ownership changed, if sagreement been updated? Yes□No□ \\\\\\\\\\\	so, has the surface				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑					
Has there been any unit or other agreements put in place permitting or operation of this proposed well? Yes□ No ☑					
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑					
Has the approved source of water for drilling changed? Y	es□No☑				
Have there been any physical changes to the surface local which will require a change in plans from what was discussevaluation? Yes□No☑					
Is bonding still in place, which covers this proposed well?	Yes☑No□				
Mandie Crozin	6/2005				
Signature	Date				
Title: Regulatory Specialist	RECEIVED				
Representing: Newfield Production Company	FEB 0 8 2006 DIV. OF OIL, GAS & MINING				

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED	
Budget Bureau No. 1004-0135	

Expires: March 31, 1993

5.	Lease	Designation	and	Serial	N
----	-------	-------------	-----	--------	---

SUNDRY NOTICES AND RI	EPORTS ON WELLS	UTU-17036
Do not use this form for proposals to drill or to deepen of Use "APPLICATION FOR I	6. If Indian, Allottee or Tribe Name NA	
SUBMIT IN TR	IPLICATE	7. If Unit or CA, Agreement Designation N/A
1. Type of Well Oil Well Gas Well Other		8. Well Name and No. FEDERAL 13-15-9-18 9. API Well No.
Name of Operator NEWFIELD PRODUCTION COMPANY Address and Telephone No.		10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI
Rt. 3 Box 3630, Myton Utah, 84052 435-646-3 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 660 FSL 660 FWL SW/SW Section 15		UINTAH COUNTY, UT.
12. CHECK APPROPRIATE BOX(s) TO	INDICATE NATURE OF NOTICE, REPOR	r, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Newfield Production Company requests tapproval date was 2/24/05 (expiration 2/2). This APD has not been approved yet by the second sec	24/07).	I for one year. The original
	Approved by the Utah Division of Oil, Gas and Mining	2-8-07 RM RECEIVED
By	1: Dodle H-12	FEB 0 6 2007 DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and correct Signed Mandie Crozier	Title Regulatory Specialist	Date2/2/2007
CC: UTAH DOGM (This space for Federal or State office use) Approved by Conditions of approval, if any: CC: Utah DOGM	Title	Date

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:	43-047-36329			
Well Name:	Federal 13-15-9-1			
Location:	SW/SW Section 15,			
	mit Issued to: Permit Issued:	Newfield Production Comp	any	
Date Original	remiit issueu.	212412005		
above, hereby	verifies that the	n legal rights to drill on information as submitto mains valid and does r	ed in the previously	nitted
Following is a verified.	checklist of some	e items related to the a	pplication, which sho	ould be
	rivate land, has t en updated? Yes	he ownership changed □ No □	, if so, has the surfac	ce
		the vicinity of the proponts for this location? Ye		d affect
	•	er agreements put in pl eroposed well? Yes⊡ N		: the
		to the access route inc proposed location? Yes	•	right-
Has the approv	ved source of wa	ter for drilling changed	? Yes□ No 🗹	
	ire a change in p	changes to the surface plans from what was dis		
s bonding still	in place, which o	covers this proposed w	ell? Yes ☑ No 🗆	
Mari	de Curis		2/2/2007	
Signature	0		Date	
Title: Regulator	y Specialist			
				RECEIVED
Representing:	Newfield Production	on Company		
-				FEB 0 6 2007

UNITED STATES FORM APPROVED FORM 3160-5 DEPARTMENT OF THE INTERIOR (June 1990). Budget Bureau No. 1004-0135 BUREAU OF LAND MANAGEMENT Expires: March 31, 1993 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-17036 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE N/A 1. Type of Well 8. Well Name and No. Well FEDERAL 13-15-9-18 9. API Well No. 43-047-36329 2. Name of Operator **NEWFIELD PRODUCTION COMPANY** 10. Field and Pool, or Exploratory Area EIGHT MILE FLAT NORTI 3. Address and Telephone No. Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4 Location of Well (Footage, Sec., T., R., m., or Survey Description) 7660 FSL 660 FWL SW/SW Section 15, T9S R18E UINTAH COUNTY, UT. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Notice of Intent Abandonment Change of Plans New Construction Recompletion Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection **Permit Extension** Dispose Water Other (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 2/24/05 (expiration 2/24/08). This APD has not been approved yet by the BLM. **COPY SENT TO OPERATOR** Approved by the Utah Division of Oil, Gas and Mining RECEIVED FEB 0 4 2008 GAS & MINING 14 I Hereby certity that the foregoing is true and correct 1/31/2008 Regulatory Specialist Title Date ÇÇ UTAH DOĞM

Title

Approved by


CC: Utah DOGM

Conditions of approval, if any:

Date

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-36329	
Well Name: Federal 13-15-9-18	
Location: SW/SW Section 15,T9S R18E	
Company Permit Issued to: Newfield Production Comp	oany
Date Original Permit Issued: 2/24/2005	
The undersigned as owner with legal rights to drill on above, hereby verifies that the information as submitted approved application to drill, remains valid and does refer to the contract of	ed in the previously
Following is a checklist of some items related to the a verified.	pplication, which should be
If located on private land, has the ownership changed agreement been updated? Yes□No□ Ĥ	, if so, has the surface
Have any wells been drilled in the vicinity of the proporthe spacing or siting requirements for this location? Yellow	
Has there been any unit or other agreements put in pl permitting or operation of this proposed well? Yes□ N	
Have there been any changes to the access route incof-way, which could affect the proposed location? Yes	
Has the approved source of water for drilling changed	? Yes□No☑
Have there been any physical changes to the surface which will require a change in plans from what was disevaluation? Yes□No☑	
Is bonding still in place, which covers this proposed w	ell? Yes ☑No □
Manche Cresin	2/1/2008
Signature C	Date
Title: Regulatory Specialist	
Representing: Newfield Production Company	RECEIVED FEB 0 4 2003
Representing: Newfield Production Company	FEB 0 4 2083
	DIV. OF OIL, GAS & MINING



BLM VERNAL, UTAH

(September 2001)			OMB No. 10 Expires Januar	04-0136
UNITED STATES		5	. Lease Serial No.	
DEPARTMENT OF THE IN BUREAU OF LAND MANAG	and the second of the second o	-	UTU-1703	3
APPLICATION FOR PERMIT TO DE		6	. If Indian, Allottee or	Tribe Name
			N/A	
1a. Type of Work: DRILL REENTER	3	7	. If Unit or CA Agreem N/A	ent, Name and No.
Ib. Type of Well: ☑ Oil Well ☐ Gas Well ☐ Other	Single Zone Multi		. Lease Name and Well Federal 13-15-9	
Name of Operator Newfield Production Company		9	. API Well No.	36329
3a. Address	3b. Phone No. (include area code)	10	. Field and Pool, or Exp	oloratory
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Eight Mile Flat	
4. Location of Well (Report location clearly and in accordance with	any State requirements.*)	11	. Sec., T., R., M., or Bl	k. and Survey or Area
At surface SW/SW 660' FSL 660' FWL At proposed prod. zone			SW/SW Sec. 15,	T9S R18E
			County on Dorigh	12 Ctata
14. Distance in miles and direction from nearest town or post office*		12	. County or Parish	13. State
Approximatley 21.1 miles southeast of Myton, Utah 15. Distance from proposed*	16 No of Associations	17 Specime II	Uintah:	UT
location to nearest	16. No. of Acres in lease	17. Spacing O	nit dedicated to this wel	
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 660 f/lse, NA f/unit	1240.00	4	10 Acres	
18. Distance from proposed location*	19. Proposed Depth	20. BLM/BIA	Bond No. on file	
to nearest well, drilling, completed, applied for, on this lease, ft. 2627	5675'	UT	TU0056	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	nrt* 23	B. Estimated duration	
5011' GL	3rd Quarter 2005	,	opproximately seven (7) days from	spud to rig ratease.
	24. Attachments			
The following, completed in accordance with the requirements of Onsho	re Oil and Gas Order No.1, shall be att	tached to this for	m:	
1. Well plat certified by a registered surveyor.	4. Bond to cover ti	he operations u	nless covered by an ex	isting bond on file (see
2. A Drilling Plan.	Item 20 above).	·		
3. A Surface Use Plan (if the location is on National Forest System	Lands, the 5. Operator certific		ation and/or plane as r	nay be required by the
SUPO shall be filed with the appropriate Forest Service Office).	authorized office		mon and/or plans as i	nay be required by the
25. Signature	Name (Printed/Typed) Mandie Crozier		D	ate /22 65
Title Regulatory Specialist	Mariale Orozier	,	1 (3/20/02
Approved by (Signature)	Name (Printed/Typed)			ate
14	Texas hevoels		1	3-13-2008
Title Assistant Field Manager		UEDMAI	FIELD OFFIC	
Lands & Mineral Resources	1	AGUNAL	FIELD OFFIC	
Application approval does not warrant or certify the the applicant holds le	egal or equitable title to those rights in	the subject lease	which would entitle th	e applicant to conduct
operations thereon.				
Conditions of approval, if any, are attached.				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it	a crime for any person knowingly ar	nd willfully to m	ake to any department	or agency of the United

*(Instructions on reverse)

CONDITIONS OF APPROVACAUED CHEL

MAR 18 2008

DIV. OF OIL, CAS & MINING

05PP 0246A

NOTICE OF APPROVAL

No NOS



Well No:

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL FIELD OFFICE VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Newfield Production Company Location:

Lease No:

SWSW, Sec 15, T9S, R18E

Federal 13-15-9-18

170 South 500 East

Lease No: UTU-17036

API No: 43-047-36329

Agreement: N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	
NRS/Enviro Scientist:		(435) 781-4476	
NRS/Enviro Scientist:	Chuck Macdonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545
		Fax: (435) 781-3420	. ,

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify NRS/Enviro Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify NRS/Enviro Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings
BOP & Related Equipment Tests (Notify Supervisory Petroleum Technician)	-	Twenty-Four (24) hours prior to initiating pressure tests
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days

Page 2 of 8 Well: Federal 13-15-9-18 2/7/2008

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

General Surface COAs

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

Specific Surface COAs

- Adhere to Executive Order 5327 of April 15, 1930, stipulations for lands in oil shale withdrawal.
- Lands in this lease have been identified as containing Mountain Plover and Burrowing Owl habitats.
 Modifications to the Surface Use Plan of Operations may be required in order to protect the Mountain Plover and Burrowing Owl habitats from surface disturbing activities in accordance with Section 6 of the lease term, Endangered Species Act, and 43 CFR 3101.1-2.
- Timing Limitations (for construction and drilling) May 15 through June 15 in order to protect Mountain Plover habitat, and April I through August 15 to protect Burrowing Owl habitat.

CONDITIONS OF APPROVAL:

- This well is being approved in accordance with Washington Instruction Memorandum 2005-247 and Section 390 (Category 3) of the Energy Policy Act which establishes statutory categorical exclusions (CX) under the National Environmental Policy Act (NEPA). Category 3 states that an oil or gas well can be drilled within a developed field for which an approved land use plan or any environmental document prepared pursuant to NEPA analyzed drilling as a reasonably foreseeable activity, so long as such plan or document was approved within five (5) years prior to the date of spudding the well. This well is covered under the Final Environmental Impact Statement and Record of Decision Castle Peak and Eightmile Flat Oil and Gas Exploration Project Newfield Rocky Mountains Inc., signed August 24, 2005. If the well has not been spudded by August 24, 2010, a new environmental document will have to be prepared prior to the approval of the APD.
- All applicable local, state, and/or federal laws, regulations, and/or statutes will be complied with.
- All traffic related to this action will be restricted to approved routes. Cross-country vehicle travel will not be allowed.
- No vehicle travel, construction or routine maintenance activities shall be performed during periods
 when the soil is too wet to adequately support vehicles and/or construction equipment. If such
 equipment creates ruts in excess of three inches deep, the soil shall be deemed too wet to
 adequately support construction equipment.
- The access road will be crowned and ditched. Flat-bladed roads are not allowed.

Page 3 of 8 Well: Federal 13-15-9-18 2/7/2008

- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- Low-water crossings will be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines will be buried at all major drainage crossings.
- Prevent fill and stock piles from entering drainages.
- The reserve pit will be lined with a 12 ml or greater liner and felt prior to spudding.
- The liner is to be cut 5 feet below ground surface or at the level of the cuttings, whichever is deeper, and the excess liner material is to be disposed of at an authorized disposal site.
- When the reserve pit contains fluids or toxic substances, the operator must ensure animals do not ingest or become entrapped in pit fluids.
- If paleontologic or cultural materials are uncovered during construction, the operator shall
 immediately stop work that might further disturb or move such materials and contact the Authorized
 Officer (AO) within 48 hours. A determination will be made by the AO as to necessary mitigation for
 the discovered paleontologic/cultural material.
- If Uinta Basin hookless cactus or other special status plants are found, construction will cease and the AO will be notified to determine the appropriate mitigation.

The following seed mix (PLS formula) will be used for interim reclamation:

Crested Wheat grass (Agropyron cristatum) 4 lbs/acre
Shadscale (Atriplex confertifolia) 4 lbs/acre
Scarlet Globemallow (Sphaeralcea coccinea) 4 lb/acre
Rates are set for drill seeding; double the rate if broadcasting.
Reseeding may be required if initial seeding is not successful.

- The operator will be responsible for treatment and control of invasive and noxious weeds.
- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural topology, topsoil
 shall be respread, and the entire location shall be seeded with a seed mix recommended by the AO
 (preferably of native origin). Seed application will follow all guidelines in the interim seed mix bullet
 statement above. If reclamation seeding should take place using the broadcast method, the seed
 at a minimum will be walked into the soil with a dozer immediately after the seeding is completed.
- The authorized officer may prohibit surface disturbing activities during severe winter conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.

Page 4 of 8 Well: Federal 13-15-9-18 2/7/2008

- The authorized officer may prohibit surface disturbing activities during wet or muddy conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.
- All well facilities not regulated by OSHA will be painted Carlsbad Canyon.
- All boulders with a length or diameter greater than 3 feet, that are found showing at the surface, will be stockpiled for use during final reclamation.
- Notify the Authorized Officer 48 hours prior to surface disturbing activities.

DOWNHOLE CONDITIONS OF APPROVAL

SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

None

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.

Page 6 of 8 Well: Federal 13-15-9-18 2/7/2008

- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum
 Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 7 of 8 Well: Federal 13-15-9-18 2/7/2008

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 8 of 8 Well: Federal 13-15-9-18 2/7/2008

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or
 abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent
 Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual
 plugging of the well bore, showing location of plugs, amount of cement in each, and amount of
 casing left in hole, and the current status of the surface restoration.

(June 1990)

UNITED STATES DEP

FORM APPROVE	D
Budget Bureau No.	1004-0135
Euripeau Manala 21	1002

OTTIED STATES
PARTMENT OF THE INTERIOR
TIDES ATT CARS T. A SID. SALASIA CUESARSSICO

BUREAU OF I	MIND MANAGEMENT	Expires. March 31, 1993
		5. Lease Designation and Serial No.
SUNDRY NOTICES ANI	D REPORTS ON WELLS	UTU-17036
Do not use this form for proposals to drill or to dee	pen or reentry a different reservoir.	6. If Indian, Allottee or Tribe Name
·	OR PERMIT -" for such proposals	NA
	or control proposale	
		7. If Unit or CA, Agreement Designation
SUBMIT IN	TRIPLICATE	N/A
I. Type of Well		
X Oil Gas		8. Well Name and No.
Well Well Other		FEDERAL 13-15-9-18
		9. API Well No.
2. Name of Operator		43-047-36329
NEWFIELD PRODUCTION COMPANY		10. Field and Pool, or Exploratory Area
3. Address and Telephone No.		EIGHT MILE FLAT NORTI
Rt. 3 Box 3630, Myton Utah, 84052 435-6	46-3721	11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., m., or Survey Description)		
660 FSL 660 FWL SW/SW Section	n 15, T9S R18E	UINTAH COUNTY, UT.
	<u> </u>	
	TO INDICATE NATURE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYP	E OF ACTION
X Notice of Intent	Abandonment	Change of Plans
·	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
i	Cosing Rengir	Water Shut Off

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Newfield Production Company requests to extend the Permit to Drill this well for one year.

Approved by the Utah Division of Oil, Gas and Mining

Altering Casing

Other

Permit Extension

COPY SENT TO OPERATOR

Final Abandonment Notice

Date: 2.5.2009

Initials: K5

RECEIVED

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

FEB 0 4 2009

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct				
Signed Mandia Nonces	Title	Regulatory Specialist	Date	2/2/2009
Mandie Crozier				
CC: UTAH DOGM				
(This space for Federal or State office use)				
Approved by	Title		Date	
Conditions of approval, if any:				
CC: Utah DOGM				



Application for Permit to Drill Request for Permit Extension

Validation
(this form should accompany the Sundry Notice requesting permit extension)

	43-047-36329			
	Federal 13-15-9-18			
Location:	,			
•	Permit Issued:	Newfield Production Compa 2/24/2005	ny	
zato origina.				
		h legal rights to drill on th		tted
		information as submitte	,	
approved appli	ication to drill, re	emains valid and does no	of require revision.	
	checklist of some	e items related to the ap	plication, which shou	ıld be
verified.				
If located on pi	rivate land, has t	the ownership changed,	if so, has the surface	;
•	en updated? Yes	• •	•	
Have any wells	s heen drilled in	the vicinity of the propos	ed well which would	affact
•		ents for this location? Ye		anect
	•			
	•	er agreements put in pla		he
permitting or o	peration of this p	oroposed well? Yes⊟No) [2]	
Have there bee	en any changes	to the access route inclu	uding ownership, or r	ight-
of-way, which	could affect the p	proposed location? Yes[□ No 🗹	
Has the energy	rad aguraa af wa	otor for drilling obongod?	Voo□No[7]	
rias ille approv	ved source or wa	ater for drilling changed?	TESLINOR	
		changes to the surface I		ute
•		plans from what was disc	cussed at the onsite	
evaluation? Ye	es 🗆 No 🗹			
Is bonding still	in place, which	covers this proposed we	ll? Yes ☑ No □	
1	4			
Wan	di Cari	<i>1</i> •	2/2/2009	
Signature	en curre	<u>/</u>	Date	
Title: Regulator	y Specialist			
				RECEIVED
Representing:	Newfield Producti	ion Company	er Fr	
-			·	FEB 0 4 2009

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-17036	
	RY NOTICES AND REPORTS O	_	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen exi ugged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 13-15-9-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		9. API NUMBER: 43047363290000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWSW Section: 15	IP, RANGE, MERIDIAN: 5 Township: 09.0S Range: 18.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE ☐	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 2/1/2010	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
2/1/2010	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	☐ WILDCAT WELL DETERMINATION ☐	OTHER	OTHER:
l .	OMPLETED OPERATIONS. Clearly show all pertine		rolumes, etc.
Newfield proposes t	to extend the permit to drill this	well for one more year.	Approved by the
			Utah Division of
			Oil, Gas and Mining
		_	F.1 01 2010
		D	ate: February 01, 2010
		В	y: Dulky Ill
			32)
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		DATE 2/1/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047363290000

API: 43047363290000 **Well Name:** FEDERAL 13-15-9-18

Location: 0660 FSL 0660 FWL QTR SWSW SEC 15 TWNP 090S RNG 180E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 2/24/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ire revision. Following is a checklist of some items related to the application, which should be verified. • If located on private land, has the ownership changed, if so, has the surface agreement been updated? Ves No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? • Yes • No Utah Division of Oil, Gas and Mining

Signature: Mandie Crozier **Date:** 2/1/2010

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY Date: February 01, 2010

Bv:

FORM 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137 Expires: July 31,2010

5. Lea	se Seria	l No.

			5. Lease Serial	NO.	
Do not use	UNDRY NOTICES AND REPORTS ON WELLS of use this form for proposals to drill or to re-enter an		UTU-17036	UTU-17036	
abandoned w	vell. Use Form 3160-3 (A	APD) for such proposals	6. If Indian, Alle	ottee or Tribe Name.	
SUBMIT IN	N TRIPLICATE - Other	Instructions on page 2	7. If Unit or CA	/Agreement, Name and/or	
1. Type of Well			GMBU		
	Other		8. Well Name a	nd No	
2. Name of Operator			FEDERAL 13-		
NEWFIELD PRODUCTION C	OMPANY		9, API Well No.		
3a. Address Route 3 Box 3630		3b. Phone (include are	code) 4304736329		
Myton, UT 84052		435.646.3721	10. Field and Po	ool, or Exploratory Area	
4. Location of Well (Footage,	Sec., T., R., M., or Survey Desc.	ription)	MONUMENT		
	0.0		11. County or Pa	arish, State	
Section TR	95	18t 15	,UT		
12. CHECI	K APPROPRIATE BOX(ES) TO INIDICATE NA	TURE OF NOTICE, OR O	THER DATA	
TYPE OF SUBMISSION		TYP	E OF ACTION		
Day of the second	Acidize	Deepen	Production (Start/Resume)	☐ Water Shut-Off	
Notice of Intent	Alter Casing	Fracture Treat	Reclamation	☐ Well Integrity	
Subsequent Report	Casing Repair	New Construction	☐ Recomplete	Other	
	Change Plans	Plug & Abandon	■ Temporarily Abandon	Permit Extension	
Final Abandonment	Convert to Injector	Plug Back	■ Water Disposal		
	mpany requests to extend	the approval to Permit to	Drill this well.		
		Regular and the district of the second secon	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING	2010 MIN 10 PM 1 35 BUREAU OF LAND MONT	
			RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING	NU OF LAND MOS	
	CONDITIONS O	Regular and the district of the second secon	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING	NU OF LAND MOS	
correct (Printed/ Typed)	CONDITIONS O	DIV F APPROVAL ATTAC	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING CHEC	NU OF LAND MOS	
correct (Printed/ Typed) Mandie Crozier	CONDITIONS O	DIV F APPROVAL ATTAC	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING CHEC	NU OF LAND MOS	
I hereby certify that the foregoing is correct (<i>Printed/Typed</i>) Mandie Crozier Signature	CONDITIONS O	DIV Title Regulatory Specification	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING CHEC	NU OF LAND MOS	
correct (Printed/ Typed) Mandie Crozier	CONDITIONS () s true and	Title Regulatory Spectors Date 03/04/2010 OR FEDERAL OR ST	RECEIVED JUL 1 9 2010 OF OIL, GAS & MINING CHEC	NU OF LAND MOS	

States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)



CONDITIONS OF APPROVAL

Newfield Production Company

Notice of Intent APD Extension

Lease:

UTU-17036

Well:

Federal 13-15-9-18

Location:

SWSW Sec 15-T9S-R18E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 8/24/2010.
- 2. Since the APD was approved under a Categorical Exclusion and the referenced NEPA will expire 8/24/2010, if the well has not been spud by that date this APD will expire and the operator is to cease all operations related to the preparation to drill the well.

If you have any other questions concerning this matter, please contact Ryan Angus of this office at (435) 781-4430



Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

August 30, 2010

Mandie Crozier Newfield Production Company Rt 3 Box 3630 Myton, Utah 84052 43 047 36329 Federal 13-15-9-18 95 18E 15

Re: APDs Rescinded for Newfield Production Company, Uintah County

Dear Ms. Crozier:

Enclosed find the list of APDs that are being rescinded per your request to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective August 25, 2010.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

i and It lasm

cc: Well File

Bureau of Land Management, Vernal



NEWFIELD - APD'S

EIS expiration date: 8/24/10

Name	API Number
Federal 10-28-8-18	43-047-40165
Federal 5-12-9-18	43-047-36466
Federal 7-12-9-18	43-047-36467
Federal 11-13-9-18	43-047-36545
Federal 13-13-9-18	43-047-36546
Federal 4-14-9-18	43-047-34944
Federal 1-15-9-18	43-047-36325
Federal 13-15-9-18	43-047-36329
Federal 15-15-9-18	43-047-36330
Federal 1-20-9-18	43-047-39423
Federal 8-20-9-18	43-047-39426
Federal 1-28-9-18	43-047-39629
Federal 3-28-9-18	43-047-39671
Federal 6-28-9-18	43-047-39627
Federal 7-28-9-18	43-047-39626
Federal 8-28-9-18	43-047-39625
Federal 9-28-9-18	43-047-40037
Federal 10-28-9-18	43-047-40036
Federal 11-28-9-18	43-047-40035
Federal 12-28-9-18	43-047-40034
Federal 13-28-9-18	43-047-40087
Federal 14-28-9-18	43-047-40095
Federal 15-28-9-18	43-047-40086
Federal 16-28-9-18	43-047-40085
Federal 9-29-9-18	43-047-40094
Federal 11-29-9-18	43-047-40092
Federal 12-29-9-18	43-047-40091
Federal 13-29-9-18	43-047-40096
Federal 14-29-9-18	43-047-40090
Federal 15-29-9-18	43-047-40089
Federal 16-29-9-18	43-047-40088
Federal 3-33-9-18	43-047-38350



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078



December 12, 2013

http://www.blm.gov/ut/st/en/fo/vernal.html

IN REPLY REFER TO: 3160 (UTG011)

Mandie Crozier **Newfield Production Company** Route 3, Box 3630 Myton, UT 84052

Re:

Notice of Expiration

Well No. Federal 13-15-9-18 SWSW, Sec. 15, T9S, R18E Uintah County, Utah Lease No. UTU-17036

Greater Monument Butte Unit

43 047 36329

RECEIVED

JAN 17 2014

DIV. OF OIL, GAS & MINING

Dear Ms. Crozier:

The Application for Permit to Drill (APD) for the above-referenced well was approved on March 13, 2008. A two (2) year extension of the original APD was requested. The request was reviewed and the extension approved until August 24, 2010 due to the NEPA. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Mineral Resources

CC:

UDOGM

bcc:

Well File I&E Asst.